Archives of Clinical Toxicology

Patra, Arch Clin Toxicol. 2024;6(1):1-3.

Editorial

Recent advances in nanotoxicology technology in treating delayed poisoning cases

Ambika Prasad Patra, MD, MBBS, MBA (Hosp. Admin)[1,*]

[1]Professor (additional) & Head, Faculty of Medicine, Department of Forensic Medicine and Toxicology, Jawaharlal Institute of Postgraduate Medical Education and Research, Puducherry, 605006, India

*Author for correspondence:
Email: dr.ambikaa@gmail.com

Received date: February 14, 2024
Accepted date: February 19, 2024

Citation: Patra AP. Recent advances in nanotoxicology technology in treating delayed poisoning cases. Arch Clin Toxicol. 2024;6(1):1-3.

Background

Delayed poisoning cases pose a major challenge to clinical toxicologists due to the multifold complications that can arise in addition to the primary clinical impact. One example is pesticide poisoning, which can lead to delayed cholinergic syndrome, intermediate syndrome, organophosphate-induced delayed polyneuropathy, and chronic organophosphate-induced neuropsychiatric disorder. The major problem with delayed presentation of poisoning cases is that these complications can significantly impact patient outcomes. However, the advancements in clinical toxicology, particularly in the field of nanotoxicology, have greatly improved our capacity to diagnose and treat poisoning cases. This editorial aims to emphasize the remarkable progress made in nanotoxicology technology and its application in treating delayed poisoning cases.

Nanotoxicology

Nanotechnology has revolutionized various fields, including medicine, by providing tools for targeted drug delivery, imaging, and diagnostics. Nano-toxicology is a field of study that assesses the potential toxicity of nanoparticles and nanomaterials on living organisms and the environment. In the context of toxicology, nanotechnology offers novel approaches to detect and mitigate the effects of toxic substances in the body. Nanoscale materials, such as nanoparticles and nanosensors, exhibit unique properties that can be exploited for the detection and treatment of poisoning. The detection methods used in nano-toxicology research are crucial for understanding the safety and risks associated with nanomaterials. In this study, the author will discuss several commonly employed detection methods in nano-toxicology research.

Nano-detection Methods

Traditional methods for detecting toxic substances often suffer from limitations such as low sensitivity and specificity, especially in cases of delayed poisoning where the concentration of the toxin may be low. Nanotechnology-based sensors have emerged as powerful tools for the highly sensitive and selective detection of toxicants in biological samples. These sensors can detect even trace amounts of toxins, enabling early diagnosis and intervention. Some nanotechnology techniques that have wide potential are listed below:

Oxidative stress analysis

- **Reactive Oxygen Species (ROS) assays:** Assays like 2',7'-Dichlorodihydrofluorescein diacetate (DCFH-DA) and dihydroethidium (DHE) are employed to detect and quantify intracellular ROS levels, e.g. superoxide anions, hydroxyl radicals, etc.

- **Glutathione (GSH) Assays:** GSH is an important antioxidant and defense mechanism against oxidative stress. GSH assays, such as the DTNB-GSH reductase recycling assay, can assess the alterations in GSH levels caused by toxic exposure.

Genotoxicity assessment

- **Comet assay:** The comet assay determines DNA damage in individual cells exposed to protoplasmic toxins like phosphides, phosphorous, etc. It involves electrophoresis of cells embedded in agarose gel, allowing for the visualization and quantification of DNA breaks.
- **Micronucleus assay:** The micronucleus assay measures the formation of micronuclei, small extra-nuclear bodies, resulting from chromosomal damage caused by genotoxins.

Biodistribution and elimination studies

- **Inductively Coupled Plasma-Mass Spectrometry (ICP-MS):** ICP-MS is a highly sensitive analytical technique used for quantitative analysis of elemental composition in biological samples. It allows the determination of toxin biodistribution in various organs and tissues.
- **Poison elimination studies:** Clearance studies involve monitoring the elimination of toxins or poison levels from the body, often through feces, urine, or exhaled breath, to understand their biocompatibility and potential accumulation.

Nanomedicine Poisoning Management Strategies

Once poisoning is diagnosed, prompt and targeted treatment is essential to prevent further harm to the patient. Nanotechnology offers innovative approaches for delivering antidotes and therapeutic agents directly to the affected tissues or organs. Nanocarriers, such as liposomes and nanoparticles, can encapsulate drugs and facilitate their controlled release, improving efficacy while minimizing systemic side effects. Additionally, nanomaterials can be engineered to adsorb or neutralize toxins in the body, providing a novel approach to detoxification.

Clinical Applications

The application of nanotoxicology technology in clinical practice holds great promise for managing delayed poisoning cases. For instance, nanoscale sensors integrated into wearable devices could enable real-time monitoring of environmental toxins or occupational exposures, allowing for early intervention. Similarly, nanomaterial-based antidote delivery systems could revolutionize the treatment of acute poisoning by enhancing the pharmacokinetics and bioavailability of antidotes.

Challenges and Future Directions

Despite the significant progress in nanotoxicology technology, several challenges remain unaddressed. These include concerns regarding the safety and biocompatibility of nanomaterials, as well as regulatory hurdles associated with their clinical translation. Furthermore, the cost-effectiveness and scalability of nanotechnology-based approaches need to be carefully evaluated to ensure widespread adoption. The more concerning is that there is a lack of information about the environmental and biological impacts of nano-waste generated from nanomaterials.

Conclusion

In conclusion, recent advances in nanotoxicology technology offer promising opportunities for improving the diagnosis and treatment of delayed poisoning cases. By leveraging the unique properties of nanomaterials, clinicians and researchers can develop innovative strategies for detecting toxins with high sensitivity and delivering targeted therapies to affected individuals. Continued research and collaboration are essential to overcome existing challenges and realize the full potential of nanotechnology in clinical toxicology.

References

1. Nel A, Xia T, Madler L, Li N. Toxic potential of materials at the nanolevel. Science. 2006 Feb 3;311(5761):622-7.
2. Chen H, Dorrigan A, Saad S, Hare DJ, Cortie MB, Valenzuela SM. In vivo study of spherical gold nanoparticles: inflammatory effects and distribution in mice. PloS One. 2013 Feb 28;8(2):e58208.
3. Li JJ, Zou LI, Hartono D, Ong CN, Bay BH, Lanry Yung LY. Gold nanoparticles induce oxidative damage in lung fibroblasts in vitro. Advanced Materials. 2008 Jan 7;20(1):138-42.
4. Jain KK. Nanomedicine: application of nanobiotechnology in medical practice. Medical Principles and Practice. 2008 Feb 19;17(2):89-101.
5. Ghosh P, Han G, De M, Kim CK, Rotello VM. Gold nanoparticles in delivery applications. Advanced Drug Delivery Reviews. 2008 Aug 17;60(11):1307-15.
6. Cui Y, Zhao Y, Tian Y, Zhang W, Lü X, Jiang X. The molecular mechanism of action of bactericidal gold nanoparticles on Escherichia coli. Biomaterials. 2012 Mar 1;33(7):2327-33.
7. Hwang SJ, Kwon JT, Park J, Kang SW, Park SH, Han YK, et al. Potential use of magnetic nanoparticles for the detection of toxic metals. Sensors (Basel). 2009;9(4):1574-91.
8. Pumera M. Graphene in biosensing. Materials Today. 2011 Jul 1;14(7-8):308-15.
9. Wang S, Li Y, Fan J, Wang Z, Li H. Biosensor based on self-assembling acetylcholinesterase on carbon nanotubes for flow injection/amperometric detection of organophosphate pesticides and nerve agents. Biosens Bioelectron. 2005 Aug 15;21(3):538-47.
10. Lopez-Moreno ML, de la Escosura-Muñiz A, Merkoçi A. Nanochannels for electrical and electrochemical detection of environmental and biomedical targets. Chem Soc Rev. 2010 Aug;39(8):3683-704.
11. Kah M, Hofmann T. Nanopesticide research: current trends and future priorities. Environment International. 2014 Feb 1;63:224-35.
12. Handy RD, Shaw BJ. Toxic effects of nanoparticles and nanomaterials: implications for public health, risk assessment and the public perception of nanotechnology. Health, Risk & Society. 2007 Jun 1;9(2):125-44.
13. Zhang LW, Zeng L, Barron AR, Monteiro-Riviere NA. Biological interactions of functionalized single-wall carbon nanotubes in human epidermal keratinocytes. International Journal of Toxicology. 2007 Mar;26(2):103-13.
14. Shvedova AA, Kisin ER, Mercer R, Murray AR, Johnson VJ, Potapovich AI, et al. Unusual inflammatory and fibrogenic pulmonary responses to single-walled carbon nanotubes in mice. American Journal of Physiology-Lung Cellular and Molecular Physiology. 2005 Nov;289(5):L698-708.

15. Oberdörster G, Oberdörster E, Oberdörster J. Nanotoxicology: an emerging discipline evolving from studies of ultrafine particles. Environmental Health Perspectives. 2005 Jul;113(7):823-39.

16. Fadeel B, Fornara A, Toprak MS, Bhattacharya K. Keeping it real: The importance of material characterization in nanotoxicology. Biochemical and Biophysical Research Communications. 2015 Dec 18;468(3):498-503.

17. Mahmoudi M, Serpooshan V. Silver-coated engineered magnetic nanoparticles are promising for the success in the fight against antibacterial resistance threat. ACS Nano. 2012 Mar 27;6(3):2656-64.

18. Halamoda-Kenzaoui B, Holzwarth U, Roebben G, Bogni A, Bremer-Hoffmann S. Mapping of the available standards against the regulatory needs for nanomedicines. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology. 2019 Jan;11(1):e1531.