

SUPPLEMENTAL INFORMATION

The effect of distance to exercise facilities and sociodemographic factors on pain and function among rheumatology patients.

Current Rheumatology Research

Chi Chi Lau¹, Levi Bonnell², Bradley J. Tompkins³, Dawid Czarny⁴, Amanda G. Kennedy⁵

1 Division of Rheumatology and Clinical Immunology, Department of Medicine, Robert Larner, MD College of Medicine at the University of Vermont and University of Vermont Medical Center, Burlington, VT, USA

2 STS Research and Analytic Center, The Society of Thoracic Surgeons, Chicago, IL, USA

3 Quality Program, Department of Medicine, Robert Larner, MD College of Medicine at the University of Vermont and University of Vermont Medical Center, Burlington, VT, USA.

4 Department of Internal Medicine, University at Buffalo, Buffalo, New York, USA

5 Quality Program, Department of Medicine, Robert Larner, MD College of Medicine at the University of Vermont and University of Vermont Medical Center, Burlington, VT, USA.

Corresponding Author:


Chi Chi Lau, MD

UVMHC, EP5, 111 Colchester Ave., Burlington, VT, 056401, USA.

chichi.lau@uvmhealth.org

Orcid ID: 0009-0005-7689-9440

Supplemental Figure S2. Selection of rheumatology study population



pts=patients; UVMMC= University of Vermont Medical Center

Supplemental Table S1. Diagnoses for non-inflammatory and inflammatory conditions

Non-inflammatory Conditions		
Diagnosis	n	(%)
Osteoarthritis	847	(51.1)
Fibromyalgia/chronic pain	297	(17.9)
DDD/DJD Spine	229	(13.8)
Tendinitis/bursitis/Fasciitis	133	(8.0)
Myalgia	57	(3.4)
Osteoporosis	56	(3.4)
Hypermobility	18	(1.1)
Joint deformity	14	(0.8)
Other non-inflammatory disorders	8	(0.5)
Total	1,659	(100)

Inflammatory Conditions		
Diagnosis	n	(%)
Rheumatoid Arthritis	903	(27.6)
Spondyloarthropathy	717	(21.9)
Crystalline arthritis	334	(10.2)
Lupus	252	(7.7)
Sjogrens	232	(7.1)
PMR	209	(6.4)
Inflammatory arthritis, unspecified	209	(6.4)
Vasculitis	138	(4.2)
Scleroderma	95	(2.9)
other Autoimmune	72	(2.2)
Sarcoidosis	60	(1.8)
Myopathy	48	(1.5)
Autoinflammatory	9	(0.3)
Total	3,278	(100)

Supplemental Table S2. Racial makeup of the study cohort.

Patient race	n	(%)
White	4,739	(96.0)
Asian	63	(1.28)
Black	47	(0.95)
Multiracial	39	(0.79)
Native American	35	(0.70)
Other	6	(0.12)
Hawian Pacific	4	(0.08)
Hispanic	2	(0.04)
Unknown	2	(0.04)
Total	4,937	(100)